U.S. DEPARTMENT OF COMMERCE
National Technical Information Service

PB-300 794

Distribution of Phytoplankton in Nebraska Lakes

(U.S.) Environmental Monitoring and Support Lab, Las Vegas, NV

Jun 79

United States
Environmental Protection
Agency

Environmental Monitoring
and Support Laboratory
P.O. Box 15027
Las Vegas, NV 89114

EPA-600/3-79-066
June 1979

PB 300794

Research and Development

EPA

Distribution of Phytoplankton in Nebraska Lakes

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

RESEARCH REPORTING SERIES

Research reports of the Office of Research and Development, U.S. Environmental Protection Agency, have been grouped into nine series. These nine broad categories were established to facilitate further development and application of environmental technology. Elimination of traditional grouping was consciously planned to foster technology transfer and maximum interface in related fields. The nine series are:

1. Environmental Health Effects Research
2. Environmental Protection Technology
3. Ecological Research
4. Environmental Monitoring
5. Socioeconomic Environmental Studies
6. Scientific and Technical Assessment Reports (STAR)
7. Interagency Energy—Environment Research and Development
8. "Special" Reports
9. Miscellaneous Reports

This report has been assigned to the ECOLOGICAL RESEARCH series. This series describes research on the effects of pollution on humans,plant and animal species, and materials. Problems are assessed for their long-and short-term influences. Investigations include formations, transport, and pathway studies to determine the fate of pollutants and their effects. This work provided the technical basis for setting standards to minimize undesirable changes in living organisms in the aquatic, terrestrial, and atmospheric environments.

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/3-79-066	2.
3. RECIPIENT'S ACCESSION NO. PB300794	
4. TITLE AND SUBTITLE DISTRIBUTION OF PHYTOPLANKTON IN NEBRASKA LAKES	5. REPORT DATE June 1979 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) F.A. Morris, M.K. Morris, W.D. Taylor, L.R. Williams, S.C. Hern, V.W. Lambou	8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Environmental Monitoring and Support Laboratory Office of Research and Development U.S. Environmental Protection Agency Las Vegas, NV 89114	10. PROGRAM ELEMENT NO. 1BD884 11. CONTRACT/GRANT NO.
12. SPONSORING AGENCY NAME AND ADDRESS U.S. Environmental Protection Agency-Las Vegas, NV Office of Research and Development Environmental Monitoring and Support Laboratory Las Vegas, NV 89114	13. TYPE OF REPORT AND PERIOD COVERED 03-15-74 to 11-20-74 14. SPONSORING AGENCY CODE EPA/600/07

15. SUPPLEMENTARY NOTES

16. ABSTRACT

This is a data report presenting the species and abundance of phytoplankton in the 9 lakes sampled by the National Eutrophication Survey in the State of Nebraska. Results from the calculation of several water quality indices are also included (Nygaard's Trophic State Index, Palmer's Organic Pollution Index, and species diversity and abundance indices).

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
*aquatic microbiology lakes *phytoplankton water quality	Nebraska lake eutrophication Nygaard's trophic indices Palmer's organic pollution indices Species diversity and abundance indices	06 C, M 08 H 13 B

18. DISTRIBUTION STATEMENT RELEASE TO PUBLIC	19. SECURITY CLASS *(This Report)* UNCLASSIFIED	21. NO. OF PAGES 40
	20. SECURITY CLASS *(This page)* UNCLASSIFIED	22. PRICE A03 - A01

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

☆ U.S. GOVERNMENT PRINTING OFFICE: 1979-683-091/2105

EPA-600/3-79-066
June 1979

DISTRIBUTION OF PHYTOPLANKTON IN NEBRASKA LAKES

by

F. A. Morris*, M. K. Morris*, W. D. Taylor,
L. R. Williams, S. C. Hern, and V. W. Lambou

Water and Land Quality Branch
Monitoring Operations Division
Environmental Monitoring and Support Laboratory
Las Vegas, Nevada 89114

*Department of Biological Sciences
University of Nevada, Las Vegas
Las Vegas, Nevada 89154

ENVIRONMENTAL MONITORING AND SUPPORT LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
LAS VEGAS, NEVADA 89114

i. a

DISCLAIMER

This report has been reviewed by the Environmental Monitoring and Support Laboratory-Las Vegas, U.S. Environmental Protection Agency, and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

FOREWORD

Protection of the environment requires effective regulatory actions which are based on sound technical and scientific information. This information must include the quantitative description and linking of pollutant sources, transport mechanisms, interactions, and resulting effects on man and his environment. Because of the complexities involved, assessment of specific pollutants in the environment requires a total systems approach which transcends the media of air, water, and land. The Environmental Monitoring and Support Laboratory-Las Vegas contributes to the formation and enhancement of a sound monitoring data base for exposure assessment through programs designed to:

- develop and optimize systems and strategies for monitoring pollutants and their impact on the environment
- demonstrate new monitoring systems and technologies by applying them to fulfill special monitoring needs of the Agency's operating programs

This report presents the species and abundance of phytoplankton in the 9 lakes sampled by the National Eutrophication Survey in the State of Nebraska, along with results from the calculation of several commonly used biological indices of water quality and community structure. These data can be used to biologically characterize the study lakes, and as baseline data for future investigations. This report was written for use by Federal, State, and local governmental agencies concerned with water quality analysis, monitoring, and or regulation. Private industry and individuals similarly involved with the biological aspects of water quality will find the document useful. For further information contact the Water and Land Quality Branch, Monitoring Operations Division.

George B. Morgan
Director
Environmental Monitoring and Support Laboratory
Las Vegas

CONTENTS

	Page
Foreword	iii
Introduction	1
Materials and Methods	2
Lake and Site Selection	2
Sample Preparation	2
Examination	3
Quality Control	4
Results	5
Nygaard's Trophic State Indices	5
Palmer's Organic Pollution Indices	5
Species Diversity and Abundance Indices	7
Species Occurrence and Abundance	9
Literature Cited	10
Appendix A. Phytoplankton Species list for the State of Nebraska	11
Appendix B. Summary of Phytoplankton Data	14

Preceding page blank

INTRODUCTION

The collection and analysis of phytoplankton data were included in the National Eutrophication Survey in an effort to determine relationships between algal characteristics and trophic status of individual lakes.

During spring, summer, and fall of 1974, the Survey sampled 179 lakes in 10 States. Over 700 algal species and varieties were identified and enumerated from the 573 water samples examined.

This report presents the species and abundance of phytoplankton in the 9 lakes sampled in the State of Nebraska (Table 1). The Nygaard's Trophic State (Nygaard 1949), Palmer's Organic Pollution (Palmer 1969), and species diversity and abundance indices are also included.

TABLE 1. LAKES SAMPLED IN THE STATE OF NEBRASKA

STORET No.	Lake Name	County
3101	Branched Oak	Lancaster
3102	Harlan County Reservoir	Harlan
3103	Harry D. Strunk (Medicine Creek)	Frontier
3104	Hugh Butler (Red Willow)	Frontier, Red Willow
3105	Johnson Reservoir	Dawson, Gosper
3106	Lake McConaughy	Keith
3107	Pawnee Lake	Lancaster
3108	Sherman County Reservoir	Sherman
3110	Swanson Reservoir	Hitchcock

MATERIALS AND METHODS

LAKE AND SITE SELECTION

Lakes and reservoirs included in the Survey were selected through discussions with State water pollution agency personnel and U.S. Environmental Protection Agency Regional Offices (U.S. Environmental Protection Agency 1975). Screening and selection strongly emphasized lakes with actual or potential accelerated eutrophication problems. As a result, the selection was limited to lakes:

(1) impacted by one or more municipal sewage treatment plant outfalls either directly into the lake or by discharge to an inlet tributary within approximately 40 kilometers of the lake;

(2) 40 hectares or larger in size; and

(3) with a mean hydraulic retention time of at least 30 days.

Specific selection criteria were waived for some lakes of particular State interest.

Sampling sites for a lake were selected based on available information on lake morphometry, potential major sources of nutrient input, and on-site judgment of the field limnologist (U.S. Environmental Protection Agency 1975). Primary sampling sites were chosen to reflect the deepest portion of each major basin in a test lake. Where many basins were present, selection was guided by nutrient source information on hand. At each sampling site, a depth-integrated phytoplankton sample was taken. Depth-integrated samples were uniform mixtures of water from the surface to a depth of 15 feet (4.6 meters) or from the surface to the lower limit of the photic zone representing 1 percent of the incident light, whichever was greater. If the depth at the sampling site was less than 15 feet (4.6 meters), the sample was taken from just off the bottom to the surface. Normally, a lake was sampled three times in 1 year, providing information on spring, summer, and fall conditions.

SAMPLE PREPARATION

To preserve the sample 4 milliliters (ml) of Acid-Lugol's solution (Prescott 1970) were added to each 130-ml sample from each site at the time of collection. The samples were shipped to the Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, where equal volumes from each site

were mixed to form two 130-ml composite samples for a given lake. One composite sample was put into storage and the other was used for the examination.

Prior to examination, the composite samples were concentrated by the settling method. Solids were allowed to settle for at least 24 hours prior to siphoning off the supernate. The volume of the removed supernate and the volume of the remaining concentrate were measured and concentrations determined. A small (8-ml) library subsample of the concentrate was then taken. The remaining concentrate was gently agitated to resuspend the plankton and poured into a capped, graduated test tube. If a preliminary examination of a sample indicated the need for a more concentrated sample, the contents of the test tube were further concentrated by repeating the settling method. Final concentrations varied from 15 to 40 times the original.

Permanent slides were prepared from concentrated samples after analysis was complete. A ring of clear Karo® corn syrup with phenol (a few crystals of phenol were added to each 100 ml of syrup) was placed on a glass slide. A drop of superconcentrate from the bottom of the test tube was placed in the ring. This solution was thoroughly mixed and topped with a coverglass. After the syrup at the edges of the coverglass had hardened, the excess was scraped away and the mount was sealed with clear fingernail polish. Permanent diatom slides were prepared by drying sample material on a coverglass, heating in a muffle furnace at 400° C for 45 minutes, and mounting in Hyrax®. Finally, the mounts were sealed with clear fingernail polish.

Backup samples, library samples, permanent sample slides, and Hyrax®-mounted diatom slides are being stored and maintained at the Environmental Monitoring and Support Laboratory-Las Vegas.

EXAMINATION

The phytoplankton samples were examined with the aid of binocular compound microscopes. A preliminary examination was performed to precisely identify and list all forms encountered. The length of this examination varied depending on the complexity of the sample. An attempt was made to find and identify all of the forms present in each sample. Often forms were observed which could not be identified to species or to genus. Abbreviated descriptions were used to keep a record of these forms (e.g., lunate cell, blue-green filament, Navicula #1). Diatom slides were examined using a standard light microscope. If greater resolution was essential to accurately identify the diatoms, a phase-contrast microscope was used.

After the species list was compiled, phytoplankton were enumerated using a Neubauer Counting Chamber with a 40X objective lens and a 10X ocular lens. All forms within each field were counted. The count was continued until a minimum of 100 fields had been viewed, or until the dominant form had been observed a minimum of 100 times.

®Registered trademark

QUALITY CONTROL

Project phycologists performed internal quality control intercomparisons regularly on 7 percent of the species identification and counts. Although an individual had primary responsibility for analyzing a sample, taxonomic problems were discussed among the phycologists.

Additional quality control checks were performed on the Survey samples by Dr. G. W. Prescott of the University of Montana at the rate of 5 percent. Quality control checks were made on 75 percent of these samples to verify species identifications while checks were made on the remaining 25 percent of the samples to verify genus counts. Presently, the agreement between quality control checks for species identification and genus enumerations is satisfactory.

RESULTS

A phytoplankton species list for the State is presented in Appendix A. Appendix B summarizes all of the phytoplankton data collected from the State by the Survey. The latter is organized by lake, and includes an alphabetical phytoplankton species list with concentrations for individual species given by sampling date. Results from the application of several indices are presented (Nygaard's Trophic State, Palmer's Organic Pollution, and species diversity and abundance). Each lake has been assigned a four-digit STORET number. (STORET (STOrage and RETrieval) is the U.S. Environmental Protection Agency's computer system which processes and maintains water quality data.) The first two digits of the STORET number identify the State; the last two digits identify the lake.

NYGAARD'S TROPHIC STATE INDICES

Five indices devised by Nygaard (1949) were proposed under the assumption that certain algal groups are indicative of levels of nutrient enrichment. These indices were calculated in order to aid in determining the surveyed lakes' trophic status. As a general rule, Cyanophyta, Euglenophyta, centric diatoms, and members of the Chlorococcales are found in waters that are eutrophic (rich in nutrients), while desmids and many pennate diatoms generally cannot tolerate high nutrient levels and so are found in oligotrophic waters (poor in nutrients).

In applying the indices to the Survey data, the number of taxa in each major group was determined from the species list for each sample. The ratios of these groups give numerical values which can be used as a biological index of water richness. The five indices and the ranges of values established for Danish lakes by Nygaard for each trophic state are presented in Table 2. The appropriate symbol, (E) eutrophic and (O) oligotrophic, follows each calculated value in the tables in Appendix B. A question mark (?) following a calculated value in these tables was entered when that value was within the range of both classifications.

PALMER'S ORGANIC POLLUTION INDICES

Palmer (1969) analyzed reports from 165 authors and developed algal pollution indices for use in rating water samples with high organic pollution. Two lists of organic-pollution-tolerant forms were prepared, one containing 20 genera, the other, 20 species (Tables 3 and 4). Each form was assigned a pollution index number ranging from 1 for moderately tolerant forms to 6 for

TABLE 2. NYGAARD'S TROPHIC STATE INDICES ADAPTED FROM HUTCHINSON (1967)

Index	Calculation	Oligotrophic	Eutrophic
Myxophycean	$\frac{\text{Myxophyceae}}{\text{Desmideae}}$	0.0-0.4	0.1-3.0
Chlorophycean	$\frac{\text{Chlorococcales}}{\text{Desmideae}}$	0.0-0.7	0.2-9.0
Diatom	$\frac{\text{Centric Diatoms}}{\text{Pennate Diatoms}}$	0.0-0.3	0.0-1.75
Euglenophyte	$\frac{\text{Euglenophyta}}{\text{Myxophyceae + Chlorococcales}}$	0.0-0.2	0.0-1.0
Compound	$\frac{\text{Myxophyceae + Chlorococcales + Centric Diatoms + Euglenophyta}}{\text{Desmideae}}$	0.0-1.0	1.2-25

TABLE 3. ALGAL GENUS POLLUTION INDEX (Palmer 1969)

Genus	Pollution Index
Anacystis	1
Ankistrodesmus	2
Chlamydomonas	4
Chlorella	3
Closterium	1
Cyclotella	1
Euglena	5
Gomphonema	1
Lepocinclis	1
Melosira	1
Micractinium	1
Navicula	3
Nitzschia	3
Oscillatoria	5
Pandorina	1
Phacus	2
Phormidium	1
Scenedesmus	4
Stigeoclonium	2
Synedra	2

TABLE 4. ALGAL SPECIES POLLUTION INDEX (Palmer 1969)

Species	Pollution Index
Ankistrodesmus falcatus	3
Arthrospira jenneri	2
Chlorella vulgaris	2
Cyclotella meneghiniana	2
Euglena gracilis	1
Euglena viridis	6
Gomphonema parvulum	1
Melosira varians	2
Navicula cryptocephala	1
Nitzschia acicularis	1
Nitzschia palea	5
Oscillatoria chlorina	2
Oscillatoria limosa	4
Oscillatoria princeps	1
Oscillatoria putrida	1
Oscillatoria tenuis	4
Pandorina morum	3
Scenedesmus quadricauda	4
Stigeoclonium tenue	3
Synedra ulna	3

extremely tolerant forms. Palmer based the index numbers on occurrence records and/or where emphasized by the authors as being especially tolerant of organic pollution.

In analyzing a water sample, any of the 20 genera or species of algae present in concentrations of 50 per milliliter or more are recorded. The pollution index numbers of the algae present are totaled, providing a genus score and a species score. Palmer determined that a score of 20 or more for either index can be taken as evidence of high organic pollution, while a score of 15 to 19 is taken as probable evidence of high organic pollution. Lower figures suggest that the organic pollution of the sample is not high, that the sample is not representative, or that some substance or factor interfering with algal persistence is present and active.

SPECIES DIVERSITY AND ABUNDANCE INDICES

"Information content" of biological samples is being used commonly by biologists as a measure of diversity. Diversity in this connection means the degree of uncertainty attached to the specific identity of any randomly selected individual. The greater the number of taxa and the more equal their proportions, the greater the uncertainty, and hence, the diversity (Pielou 1966). There are several methods of measuring diversity, e.g., the formulas given by Brillouin (1962) and Shannon and Weaver (1963). The method which is appropriate depends on the type of biological sample on hand.

Pielou (1966) classifies the types of biological samples and gives the measure of diversity appropriate for each type. The Survey phytoplankton samples are what she classifies as larger samples (collections in Pielou's terminology) from which random subsamples can be drawn. According to Pielou, the average diversity per individual (H) for these types of samples can be estimated from the Shannon-Wiener formula (Shannon and Weaver 1963):

$$H = -\sum_{i=1}^{S} P_i \log_x P_i$$

where P is the proportion of the ith taxon in the sample, which is calculated from n_i/N; n_i is the number of individuals per milliliter of the ith taxon; N is the total number of individuals per ml; and S is the total number of taxa. However, Basharin (1959) and Pielou (1966) have pointed out that H calculated from the subsample is a biased estimator of the sample H, and if this bias is to be accounted for, we must know the total number of taxa present in the sample since the magnitude of this bias depends on it.

Pielou (1966) suggests that if the number of taxa in the subsample falls only slightly short of the number in the larger sample, no appreciable error will result in considering S, estimated from the subsample, as being equal to the sample value. Even though considerable effort was made to find and identify all taxa, the Survey samples undoubtedly contain a fair number of rare phytoplankton taxa which were not encountered.

In the Shannon-Wiener formula, an increase in the number of taxa and/or an increase in the evenness of the distribution of individuals among taxa will increase the average diversity per individual from its minimal value of zero. Sager and Hasler (1969) found that the richness of taxa was of minor importance in determination of average diversity per individual for phytoplankton and they concluded that phytoplankton taxa in excess of the 10 to 15 most abundant ones have little effect on H. This was verified by our own calculations. Our counts are in number per milliliter and since logarithms to the base 2 were used in our calculations, H is expressed in units of bits per individual. When individuals of a taxon were so rare that they were not counted, a value of 1/130 per milliliter or 0.008 per milliliter was used in the calculations since at least one individual of the taxon must have been present in the collection.

A Survey sample for a given lake represents a composite of all phytoplankton collected at different sampling sites on the lake during a given sampling period. Since the number of samples (M) making up a composite is a function of both the complexity of the lake sampled and its size, it should affect the richness-of-taxa component of the diversity of our phytoplankton collections. The maximum diversity (MaxH) (i.e., when the individuals are distributed among the taxa as evenly as possible) was estimated from $\log_2 S$ (Pielou 1966), while the minimum diversity (MinH), was estimated from the formula:

$$\text{MinH} = -\frac{S-1}{N}\log_2\frac{1}{N} - \frac{N-(S-1)}{N}\log_2\frac{N-(S-1)}{N}$$

given by Zand (1976). The total diversity (D) was calculated from HN (Pielou 1966). Also given in Appendix B are L (the mean number of individuals per taxa per milliliter) and K (the number of individuals per milliliter of the most abundant taxon in the sample).

The evenness component of diversity (J) was estimated from H/MaxH (Pielou 1966). Relative evenness (RJ) was calculated from the formula:

$$\text{RJ} = \frac{\text{H-MinH}}{\text{MaxH-MinH}}$$

given by Zand (1976). Zand suggests that RJ be used as a substitute for both J and the redundancy expression given by Wilhm and Dorris (1968). As pointed out by Zand, the redundancy expression given by Wilhm and Dorris does not properly express what it is intended to show, i.e., the position of H in the range between MaxH and MinH. RJ may range from 0 to 1; being 1 for the most even samples and 0 for the least even samples.

Zand (1976) suggests that diversity indices be expressed in units of "sits", i.e., in logarithms to base S (where S is the total number of taxa in the sample) instead of in "bits", i.e., in logarithms to base 2. Zand points out that the diversity index in sits per individual is a normalized number ranging from 1 for the most evenly distributed samples to 0 for the least evenly distributed samples. Also, it can be used to compare different samples, independent of the number of taxa in each. The diversity in bits per

individual should not be used in direct comparisons involving various samples which have different numbers of taxa. Since MaxH equals log S, the expression in sits is equal to $\log_S S$, or 1. Therefore diversity in sits per individual is numerically equivalent to J, the evenness component for the Shannon-Wiener formula.

SPECIES OCCURRENCE AND ABUNDANCE

The alphabetic phytoplankton species list for each lake, presented in Appendix B, gives the concentrations of individual species by sampling date. Concentrations are in cells, colonies, or filaments (CEL, COL, FIL) per milliliter. An "X" after a species name indicates that the species identified in the preliminary examination was in such a low concentration that it did not appear in the count. A blank space indicates that the organism was not found in the sample collected on that date. Column S is used to designate the examiner's subjective opinion of the five dominant taxa in a sample, based upon relative size and concentration of the organism. The percent column (%C) presents, by abundance, the percentage composition of each taxon.

LITERATURE CITED

Basharin, G. P. 1959. On a statistical estimate for the entropy of a sequence of independent random variables, pp. 333-336. In: Theory of Probability and Its Applications (translation of "Teoriya Veroyatnosei i ee Premeneniya"). N. Artin (ed). 4. Society for Industrial and Applied Mathematics, Philadelphia.

Brillouin, L. 1962. Science and Information Theory (2nd ed.). Academic Press, New York. 351 pp.

Hutchinson, G. E. 1967. A Treatise on Limnology. II. Introduction to Lake Biology and the Limnoplankton. John Wiley and Sons, Inc., New York. 1,115 pp.

Nygaard, G. 1949. Hydrobiological studies of some Danish ponds and lakes. II. (K danske Vidensk. Selsk.) Biol. Sci. 7:293.

Palmer, C. M. 1969. A composite rating of algae tolerating organic pollution. J. Phycol. 5:78-82.

Pielou, E. C. 1966. The measurement of diversity in different types of biological collections. J. Theor. Biol. 13:131-144.

Prescott, G. W. 1970. How to Know the Freshwater Algae. William C. Brown Company, Dubuque. 348 pp.

Sager, P. E., and A. D. Hasler. 1969. Species diversity in lacustrine phytoplankton. I. The components of the index of diversity from Shannon's formula. Amer. Natur. 103(929):51-59.

Shannon, C. E., and W. Weaver. 1963. The Mathematical Theory of Communication. University of Illinois Press, Urbana. 117 pp.

U.S. Environmental Protection Agency. 1975. National Eutrophication Survey Methods 1973-1976. Working Paper No. 175. Environmental Monitoring and Support Laboratory, Las Vegas, Nevada, and Corvallis Environmental Research Laboratory, Corvallis, Oregon. 91 pp.

Wilhm, V. L., and T. C. Dorris. 1968. Biological parameters for water quality criteria. Bio-Science. 18:477.

Zand, S. M. 1976. Indexes associated with information theory in water quality. J. Water Pollut. Contr. Fed. 48(8):2026-2031.

APPENDIX A

PHYTOPLANKTON SPECIES LIST FOR THE STATE OF NEBRASKA

Achnanthes sp.
Actinastrum hantzschii
v. *fluviatile*
Anabaena sp.
Ankistrodesmus falcatus
Ankistrodesmus falcatus
v. *acicularis*
Ankistrodesmus falcatus
v. *mirabilis*
Aphanizomenon flos-aquae
Asterionella formosa
Caloneis lewisii
Carteria klebsii
Ceratium hirundinella
Ceratium hirundinella
f. *furcoides*
Ceratium hirundinella
f. *scotticum*
Chlamydomonas sp.
Chlorogonium sp.
Closterium sp.
Cocconeis placentula
Coelastrum cambricum
Coelastrum cambricum
v. *intermedium*
Coelastrum reticulatum
Coelosphaerium naegelianum
Cosmarium sp.
Crucigenia apiculata
Crucigenia rectangularis ?
Crucigenia tetrapedia
Cryptomonas erosa
Cryptomonas erosa
v. *reflexa*
Cryptomonas marssonii
Cryptomonas ovata
Cryptomonas reflexa
Cyclotella meneghiniana
Cyclotella stelligera
Cymatopleura elliptica
f. *spiralis*
Cymatopleura solea
Cymbella affinis
Cymbella tumida
Cymbella turgida
Dactylococcopsis irregularis
Denticula sp.
Diatoma elongatum
Diatoma vulgare
Dictyosphaerium pulchellum
Dinobryon divergens
Dinobyron sociale
v. *americanum*
Elakotothrix sp.
Epithemia sp.
Errerella bornhemiensis
Eudorina elegans
Euglena sp.
Fragilaria capucina
Fragilaria construens ?
Fragilaria crotonensis
Fragilaria intermedia ?
Fragilaria leptostauron
Franceia sp.
Glenodinium gymnodinium
Glenodinium gymnodinium
v. *biscutelliforme*
Glenodinium oculatum
Gloeocystis ampla ?
Gomphonema olivaceum
Gymnodinium albulum
Gymnodinium ordinatum
Gyrosigma sp.
Hantzschia amphioxys
f. *capitata*
Kirchneriella sp.
Lagerheimia quadriseta
Lepocinclis sp.
Lyngbya sp.
Mallomonas caudata
Melosira distans
Melosira granulata
Melosira granulata
v. *angustissima*
Melosira italica
Melosira varians
Merismopedia minima
Merismopedia tenuissima
Mesostigma viridis
Micractinium pusillum
Microcystis aeruginosa
Microcystis incerta
Mougeotia sp.
Navicula latens ?
Navicula radiosa
Neidium ? sp.
Nitzschia filiformis
Nitzschia palea
Nitzschia sigmoidea
Oocystis sp.

Ophiocytium capitatum
Oscillatoria limnetica
Oscillatoria tenuis
Pandorina morum
Pandorina protuberans
Pediastrum boryanum
Pediastrum duplex
Pediastrum duplex
v. *clathratum*
Pediastrum duplex
v. *reticulatum*
Pediastrum duplex
v. *rotundatum*
Pediastrum simplex
v. *duodenarium*
Pediastrum tetras
Pediastrum tetras
v. *tetraodon*
Peridinium inconspicuum
Phacus acuminatus
Phacus longicauda
Phacus megalopsis
Pinnularia sp.
Raphidiopsis curvata
Rhoicosphenia sp.
Rhopalodia gibba
Scenedesmus abundans
Scenedesmus acuminatus
Scenedesmus arcuatus
Scenedesmus balatonicus ?
Scenedesmus bicaudatus
Scenedesmus bijuga
Scenedesmus bijuga
v. *flexuosus*
Scenedesmus dimorphus
Scenedesmus intermedius
Scenedesmus obliquus
Scenedesmus opoliensis
Scenedesmus protuberans
Scenedesmus quadricauda
Scenedesmus raciborskii
f. *granulatas*
Schroederia setigera
Sphaerocystis schroeteri
Staurastrum chaetocerus
Stephanodiscus astraea
Stephanodiscus niagarae
Surirella angustata
Surirella ovata
Synedra acus
Synedra rumpens
Synedra ulna
Tetraedron caudatum
Tetraedron caudatum
v. *longecornutum*
Tetraedron hastatum
Tetraedron minimum
Tetraedron muticum
Tetraedron trigonum
v. *gracile*
Tetrastrum ? glabrum
Tetrastrum elegans
Tetrastrum heteracanthum
Tetrastrum staurogeniaeforme
Trachelomonas abrupta ?
Trachelomonas ensifera
Trachelomonas fluviatilis
Trachelomonas intermedia
Trachelomonas planctonica
Trachelomonas schauinslandii
Trachelomonas verrucosa
Trachelomonas volvocina
Wislouchiella sp.

APPENDIX B. SUMMARY OF PHYTOPLANKTON DATA

This appendix was generated by computer. Because it was only possible to use upper case letters in the printout, all scientific names are printed in upper case and are not italicized.

The alphabetic phytoplankton lists include taxa without species names (e.g., EUNOTIA, EUNOTIA #1, FLAGELLATE, FLAGELLATES, MICROCYSTIS INCERTA ?, CHLOROPHYTAN COCCOID CELLED COLONY). When species determinations were not possible, symbols or descriptive phrases were used to separate taxa for enumeration purposes. Each name on a list, however, represents a unique species different from any other name on the same list, unless otherwise noted, for counting purposes.

Numbers were used to separate unidentified species of the same genus. A generic name listed alone is also a unique species. A question mark (?) is placed immediately after the portion of a name which was assigned with uncertainty. Numbered, questioned, or otherwise designated taxa were established on a lake-by-lake basis; therefore NAVICULA #2 from lake A cannot be compared to NAVICULA #2 from lake B. Pluralized categories (e.g., FLAGELLATES, CENTRIC DIATOMS, SPP.) were used for counting purposes when taxa could not be properly differentiated on the counting chamber.

ERRATA

Minimum and evenness are misspelled in the computer printout of the species diversity and abundance indices data.

LAKE NAME: BRANCHED OAK
STORET NUMBER: 3101

NYGAARD TROPHIC STATE INDICES

DATE	04 17 74	07 02 74	09 26 74
MYXOPHYCEAN	03/0 E	04/0 E	4.00 E
CHLOROPHYCEAN	07/0 E	12/0 E	8.00 E
EUGLENOPHYTE	0.10 ?	0.12 ?	0/12 ?
DIATOM	0.17 ?	0.67 E	1.50 E
COMPOUND	12/0 E	20/0 E	15.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 17 74	07 02 74	09 26 74
GENUS	02	03	10
SPECIES	03	03	02

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 17 74	07 02 74	09 26 74
AVERAGE DIVERSITY	H	1.34	2.93	2.85
NUMBER OF TAXA	S	23.00	30.00	21.00
NUMBER OF SAMPLES COMPOSITED	M	3.00	3.00	3.00
MAXIMUM DIVERSITY	MAXH	4.52	4.91	4.39
MINIMUM DIVERSITY	MINH	0.02	0.10	0.04
TOTAL DIVERSITY	D	27333.32	11605.73	22942.50
TOTAL NUMBER OF INDIVIDUALS/ML	N	20398.00	3961.00	8050.00
EVENESS COMPONENT	J	0.30	0.60	0.65
RELATIVE EVENESS	RJ	0.30	0.59	0.65
MEAN NUMBER OF INDIVIDUALS/TAXA	L	886.87	132.03	383.33
NUMBER/ML OF MOST ABUNDANT TAXON	K	15728.00	1541.00	2641.00

Reproduced from best available copy.

LAKE NAME: FRANCHED DAR
STORET NUMBER: 3101

CONTINUED

TAXA	FORM	04 17 74 IS	04 17 74 %C	04 17 74 ALGAL UNITS PER ML	07 02 74 IS	07 02 74 %C	07 02 74 ALGAL UNITS PER ML	09 26 74 IS	09 26 74 %C	09 26 74 ALGAL UNITS PER ML
ACTINASTRUM	CEL					4.48	176			
ANABAENA	FIL									X
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL		0.98	191						
ANKISTRODESMUS FALCATUS V. MIPABILIS	CEL					2.22	88			
APHANIZOMENON FLOS-AQUAE	FIL				151	5.68	220	111	6.48	515
ASTERIONELLA FORMOSA	CEL	111	77.11	15720						
CALONEIS ?	CEL						X			
CARTERIA	CEL				111	38.91	1541			
CHLAMYDOMONAS ?	CEL								1.68	129
COCCONEIS	CEL									X
COELASTRUM CAMBRICUM	COL						X			X
COELASTRUM RETICULATUM	COL									X
COELOSPHAERIUM NAEGELIANUM	COL						X	121	3.28	258
COSMARIUM	CEL								0.88	64
CRUCIGENIA TETRAPEDIA	COL								0.88	64
CRYPTOMONAS	CEL				121	10.08	396			
CRYPTOMONAS EROSA	CEL	121	2.88	572				141	7.28	580
CYMBELLA	CEL			X						
CYST	CEL				131	7.88	308			
DACTYLOCOCCOPSIS	CEL			X						
DICTYOSPHAERIUM	COL					2.28	88			
DICTYOSPHAERIUM PULCHELLUM	COL			X					2.48	193
DINOBRYON SOCIALE V. AMERICANUM	CEL	141	6.58	1334						
ELAKATOTHRIX	CEL						X			
FLAGELLATE #1	CEL	131	6.58	1334			X		4.08	322
FLAGELLATE #2	CEL	151	4.28	858						
FLAGELLATES	CEL					14.48	572			
FRAGILARIA	CEL									X
FRAGILARIA #1	CEL			X						
FRAGILARIA #2	CEL			X						
GLENODINIUM OCULATUR	CEL				141	3.38	132			
GYMNODINIUM ORDINATUM	CEL			X						
LAGERHEIMIA QUADRISETA	CEL		0.58	95						
LEPOCINCLIS	CEL			X			X			
MELOSIRA	CEL						X			
MELOSIRA DISTANS	CEL								132.88	2641
MELOSIRA GRANULATA	CEL			X					114.48	1159
MELOSIRA VARIANS ?	CEL							151	22.48	1803
MICRACTINIUM	COL						X			
MICROCYSTIS AERUGINOSA	COL			X		4.48	176	131	2.48	193
NITZSCHIA PALEA	CEL			X						
NITZSCHIA SIGMOIDEA	CEL			X						
OOCYSTIS	CEL						X			X
OSCILLATORIA	CEL			X		1.18	44			
PANDORINA MORUM	COL						X			
PEDIASTRUM DUPLEX V. CLATHRATUM	CEL			X			X			X
PENNATE DIATOM	CEL					4.48	176			
PHACUS	CEL						X			
PHOTOSPHENIA	CEL						X			
SCENEDESMUS BIJUGA	COL								1.68	129
SCENEDESMUS BIJUGA V. PLEIOUSUS	COL						X			
SCENEDESMUS QUADRICAUDA	COL			X						
SCENEDESMUS RACIBORSKII F. GRANULATAS	COL						X			
SCHROEDERIA SETIGERA	CEL		0.98	191		1.18	44			X
STEPHANODISCUS	CEL						X			
TETRAEDRON HASTATUM	CEL						X			
TETRASTRUM STAUROGENIAEFORME	COL		0.58	95						
TOTAL				21398			3961			8050

Reproduced from best available copy.

LAKE NAME: HARLAN
STURET NUMBER: 3102

NYGAARD TROPHIC STATE INDICES

DATE	04 16 74	06 28 74	09 30 74
MYXOPHYCEAN	01/0 E	04/0 E	03/0 E
CHLOROPHYCEAN	01/0 E	12/0 E	13/0 E
EUGLENOPHYTE	0.50 E	0.31 E	0.12 ?
DIATOM	0.21 ?	0.67 E	0.57 E
COMPOUND	06/0 E	25/0 E	22/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 16 74	06 28 74	09 30 74
GENUS	03	09	11
SPECIES	00	00	07

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 16 74	06 28 74	09 30 74
AVERAGE DIVERSITY	H	1.64	3.37	2.23
NUMBER OF TAXA	S	25.00	37.00	33.00
NUMBER OF SAMPLES COMPOSITED	M	3.00	3.00	3.00
MAXIMUM DIVERSITY	MAXH	4.64	5.21	5.04
MINUMUM DIVERSITY	MINH	0.01	0.09	0.06
TOTAL DIVERSITY	D	43199.24	19188.78	15980.18
TOTAL NUMBER OF INDIVIDUALS/ML	N	26341.00	5694.00	7166.00
EVENESS COMPONENT	J	0.35	0.65	0.44
RELATIVE EVENESS	RJ	0.36	0.65	0.44
MEAN NUMBER OF INDIVIDUALS/TAXA	L	1053.64	153.89	217.15
NUMBER/ML OF MOST ABUNDANT TAXON	K	17479.00	1466.00	3555.00

LAKE NAME: HARLAN
STORET NUMBER: 3102

CONTINUED

TAXA	FORM	04 16 74 IS	04 16 74 % C	04 16 74 ALGAL UNITS PER ML	06 28 74 IS	06 28 74 % C	06 28 74 ALGAL UNITS PER ML	09 30 74 IS	09 30 74 % C	09 30 74 ALGAL UNITS PER ML
ACTINASTRUM HANTZSCHII										
V. FLUVIATILE	CEL						X			
ANABAENA	FIL						X			
ANKISTRODESMUS FALCATUS	CEL								0.88	54
APHANIZOMENON FLOS-AQUAE	FIL				821	14.71	837			
ASTERIONELLA FORMOSA	CEL	821	18.01	4211			X			X
CARTERIA	CEL									X
CARTERIA KLEBSII	CEL				131	15.41	879			
CERATIUM HIRUNDINELLA	CEL						X			
COELASTRUM CAMBRICUM	CGL									X
COELASTRUM CAMBRICUM ?	CGL						X			
CRYPTOMONAS EROSA	CEL	151	1.51	392		4.41	251			
CRYPTOMONAS PEFLEXA	CEL			X						
CRYPTOMONAS SPP.	CEL							151	1.51	108
CYCLOTELLA	CEL	11	66.41	17479		2.91	167	161	22.61	1616
CYMATOPLEURA SOLEA	CEL			X						
CYMBELLA	CEL						X			
DACTYLOCOCCOPSIS IRREGULARIS	CEL		3.71	979			X		2.31	162
DIATOMA VULGARE	CEL									X
DICTYOSPHAERIUM PULCHELLUM	COL									X
ERRERELLA BOMMERIENSIS	CGL						X			
EUGLENA	CEL			X		0.71	42			X
FLAGELLATE #1	CEL	131	8.61	2105		2.91	167			
FLAGELLATE #3	CEL							131	14.71	1050
FRAGILARIA	CEL			X						
FRAGILARIA CROTONENSIS	CEL			X		7.41	419			
GYMNODINIUM ALBULUM	CEL		0.21	49		0.71	42			
GYROSIGMA	CEL						X			
LUNATE CELL	CEL		0.21	49						
MELOSIRA	CEL			X						
MELOSIRA GRANULATA	CEL				111	25.71	1466		0.41	27
MELOSIRA GRANULATA										
V. ANGUSTISSIMA	CEL				151	5.11	293			X
MERISMOPEDIA MINIMA	COL								1.51	108
MESOSTIGMA VIRIDIS	CEL								0.81	54
MICRACTINIUM PUSILLUM	COL						X			
MICROCYSTIS AERUGINOSA	COL					1.51	84			
MICROCYSTIS INCERTA	COL								1.11	81
NAVICULA	CEL									X
NAVICULA #1	CEL		0.21	49						
NAVICULA #2	CEL			X						
NETDIUM ?	CEL			X						
NITZSCHIA #1	CEL			X						
NITZSCHIA #2	CEL			X						
NITZSCHIA #3	CEL			X						X
NITZSCHIA #4	CEL									X
NITZSCHIA #5	CEL								1.11	81
NITZSCHIA #6	CEL					0.71	42			
OOCYSTIS	CEL						X			X
PEDIASTRUM BORYANUM	CGL						X			
PEDIASTRUM DUPLEX										
V. RETICULATUM	COL						X			X
PEDIASTRUM TETRAS	CEL									X
PHACUS ACUMINATUS	CEL						X			
PHACUS LONGICAUDA	CEL						X			
PHACUS MEGALOPSIS	CEL						X			X
SCENEDESMUS ABUNDANS	CEL								0.81	54
SCENEDESMUS ACUMINATUS	COL					1.51	84			
SCENEDESMUS DIMORPHUS	CGL									X
SCENEDESMUS INTERMEDIUS	COL									X
SCENEDESMUS QUADRICAUDA	COL		0.21	49		0.71	42		1.51	108
SCHROEDERIA SETIGERA	CEL					3.71	209		0.41	27
SPHAEROCYSTIS SCHROETERI	COL						X			
STEPHANODISCUS	CEL	141	3.21	832	141	8.81	502	111	49.61	3555
SURIRELLA	CEL			X						
SURIRELLA ANGUSTATA	CEL			X						
SURIRELLA OVATA	CEL									X
SYNEDRA #1	CEL		0.61	147		1.51	84			
SYNEDRA ULNA	CEL			X						
TETRAEDRON MUTICUM	CEL									X
TETRASTRUM HETERACANTHUM	COL					1.51	84			
TETRASTRUM STAUROGENIAEFORME	COL								1.11	81
TRACHELOMONAS SCHAUINSLANDII	CEL						X			
WISLOUCHIELLA	CEL						X			
TOTAL				28341			5694			7166

Reproduced from best available copy.

LAKE NAME: HARRY D. STRUNK
STORET NUMBER: 3103

NYGAARD TROPHIC STATE INDICES

DATE	04 16 74	07 01 74	09 27 74
MYXOPHYCEAN	0.50 E	03/0 E	0/0 D
CHLOROPHYCEAN	0.50 ?	02/0 E	09/0 E
EUGLENOPHYTE	0/02 ?	0/05 ?	0.22 E
DIATOM	0.57 E	0.75 E	0.71 E
COMPOUND	3.00 E	08/0 E	16/0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 16 74	07 01 74	09 27 74
GENUS	00	02	07
SPECIES	00	00	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

		DATE	04 16 74	07 01 74	09 27 74
AVERAGE DIVERSITY	H		0.88	2.38	2.41
NUMBER OF TAXA	S		19.00	16.00	24.00
NUMBER OF SAMPLES COMPOSITED	M		2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH		4.25	4.00	4.58
MINIMUM DIVERSITY	MINH		0.00	0.05	0.05
TOTAL DIVERSITY	D		64311.28	8632.26	15472.20
TOTAL NUMBER OF INDIVIDUALS/ML	N		73081.00	3627.00	6420.00
EVENESS COMPONENT	J		0.21	0.60	0.53
RELATIVE EVENESS	RJ		0.21	0.59	0.53
MEAN NUMBER OF INDIVIDUALS/TAXA	L		3846.37	226.69	267.50
NUMBER/ML OF MOST ABUNDANT TAXON	K		62062.00	1596.00	3488.00

LAKE NAME: HARRY D. STRUNK
STORET NUMBER: 3103

CONTINUED

TAXA	FORM	04 16 74 BS	04 16 74 %C	04 16 74 ALGAL UNITS PER ML	07 01 74 BS	07 01 74 %C	07 01 74 ALGAL UNITS PER ML	09 27 74 BS	09 27 74 %C	09 27 74 ALGAL UNITS PER ML
ACHNANTHES	CEL									X
ANABAENA	FIL						X			
ANKISTRODESMUS FALCATUS V. MIRABILIS	CEL			X						
APHANIZOMENON FLOS-AQUAE	FIL				11	44.44	1596			
ASTERIONELLA FORMOSA	CEL	131	84.91	62.82			X			X
CENTRIC DIATOM	CEL	121	5.66	4124						
CERATIUM HIRUNDINELLA F. FURCOIDES	CEL						X			
CLOSTERIUM	CEL			X						
CLOSTERIUM #2	CEL			X						
COELASTRUM CAMBRICUM	COL									X
CRUCIGENIA TETRAPEDIA	COL							1	10.38	604
CRYPTOMONAS	CEL				12	34.43	522	11	4.38	277
CRYPTOMONAS EROSA	CEL			X						
CRYPTOMONAS REFLEXA	CEL	1	0.49	270						
CYCLOTELLA	CEL				1	1.64	58			
CYMATOPLEURA SOLEA	CEL			X						
CYMBELLA	CEL				1	0.82	29			
CYMBELLA #1	CEL			X						
CYMBELLA #2	CEL			X						
CYMBELLA AFFINIS	CEL									X
DACTYLOCOCCOPSIS IRREGULARIS	CEL	131	5.41	3421						X
EUGLENA	CEL									
FLAGELLATE #1	CEL	141	3.31	2434	1	2.41	87			
FRAGILARIA CROTONENSIS	CEL			X	14	8.61	319			
KIRCHNERIELLA	CEL							15	12.11	775
MELOSIRA DISTANS	CEL									X
MELOSIRA GRANULATA	CEL			X						X
MELOSIRA GRANULATA V. ANGUSTISSIMA	CEL				13	20.08	726	13	3.41	221
MICROCYSTIS AERUGINOSA	COL						29			
NAVICULA	CEL			X						X
NITZSCHIA	CEL									X
PANDORINA PROTUBERANS	COL					0.82	29			
PEDIASTRUM DUPLEX V. CLATHRATUM	COL						X			
PENNATE DIATOM	CEL							1	0.91	55
PHACUS	CEL									X
SCENEDESMUS DIMORPHUS	COL							1	0.91	55
SCENEDESMUS INTERMEDIUS	COL							1	1.71	111
SCENEDESMUS QUADRICAUDA	COL							1	0.91	55
SCHROEDERIA SETIGERA	CEL				15	5.61	203			
STEPHANODISCUS	CEL				1	0.82	29	12	54.31	3488
STEPHANODISCUS #1	CEL			X						
STEPHANODISCUS ASTRAEA	CEL			X				14	2.61	166
STEPHANODISCUS SPP.	CEL	15	0.49	270						
SYNEDRA	CEL			X				1	4.31	277
SYNEDRA ULNA	CEL						X			
TETRAEDRON CAUDATUM V. LONGECORNUTUM	CEL							1	0.91	55
TETRAEDRON MUTICUM	CEL							1	0.91	55
TETRASTRUM ELEGANS	COL							1	2.61	166
TOTAL				73.81			3627			6420

Reproduced from best available copy.

LAKE NAME: HUGH BUTLER
STORET NUMBER: 3104

NYGAARD TROPHIC STATE INDICES

DATE	04 16 74	07 01 74	09 27 74
MYXOPHYCEAN	01/0 E	03/0 E	1.00 E
CHLOROPHYCEAN	06/0 E	09/0 E	3.00 E
EUGLENOPHYTE	0.43 E	0.33 E	0.25 E
DIATOM	0.43 E	0.67 E	0.42 E
COMPOUND	13/0 E	18/0 E	7.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 16 74	07 01 74	09 27 74
GENUS	05	15	05
SPECIES	03	07	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 16 74	07 01 74	09 27 74
AVERAGE DIVERSITY	H	2.06	3.54	2.75
NUMBER OF TAXA	S	25.00	28.00	34.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	3.00	3.00
MAXIMUM DIVERSITY	MAXH	4.64	4.81	5.09
MINIMUM DIVERSITY	MINH	0.01	0.08	0.15
TOTAL DIVERSITY	D	63664.30	16542.42	7669.75
TOTAL NUMBER OF INDIVIDUALS/ML	N	30905.00	4673.00	2789.00
EVENESS COMPONENT	J	0.44	0.74	0.54
RELATIVE EVENESS	RJ	0.45	0.74	0.53
MEAN NUMBER OF INDIVIDUALS/TAXA	L	1236.20	166.89	82.03
NUMBER/ML OF MOST ABUNDANT TAXON	K	14842.00	805.00	1280.00

LAKE NAME: HUGH BUTLER
STORET NUMBER: 3104

CONTINUED

TAXA	PERM	04 16 74 BIS	04 16 74 %	04 16 74 ALGAL UNITS PER ML	27 01 74 BIS	27 01 74 %	27 01 74 ALGAL UNITS PER ML	09 27 74 BIS	09 27 74 %	09 27 74 ALGAL UNITS PER ML
ANKISTRODESMUS FALCATUS	CEL						X			X
ANKISTRODESMUS FALCATUS V. ACICULARIS	CEL				1	17.2	805			
ANKISTRODESMUS FALCATUS V. MINADELIS	CEL	14	9.3	2871						
ASTERIONELLA FORMOSA	CEL	11	46.0	14842			X			X
CARTERIA	CEL				11	35.9	725			
CENTRIC DIATOM	CEL	12	24.9	7574				11	45.9	1280
CHLOROCOCCUM	CEL						X			
CLOSTERIUM #1	CEL									X
CLOSTERIUM #2	CEL									X
COCCONEIS	CEL			X						X
COELASTRUM LAMBRICUM	COL			X					1.6	46
CRUCIGENIA TETRAPEDIA	COL		0.6	183			X			
CRYPTOMONAS EROSA	CEL				12	17.2	805	13	8.2	228
CRYPTOMONAS MARSSONII	CEL	1	1.2	366						
CRYPTOMONAS REFLEXA	CEL			X						X
CYMBELLA	CEL									X
CYMBELLA #2	CEL									X
CYMBELLA TURGIDA	CEL			X						
DACTYLOCOCCOPSIS	FIL					6.9	322			
DACTYLOCOCCOPSIS IRREGULARIS	CEL	1	1.4	428				1	4.9	137
EPITHEMIA	CEL						X			
EUGLENA #1	CEL			X	1	1.7	81			
FLAGELLATE #1	CEL	43	13.0	4031	1	6.9	322	15	14.7	411
FLAGELLATE #2	CEL						X			
FRAGILARIA	CEL			X						X
FRAGILARIA CROTONENSIS	CEL									X
FRANCEIA	CEL						X			
GLOEOCYSTIS AMPLA ?	COL			X						
GOMPHONEMA	CEL									X
MELOSIRA #4	CEL							1	3.3	41
MELOSIRA DISTANS	CEL						X			
MELOSIRA GRANULATA	CEL			X						X
MELOSIRA GRANULATA V. ANGUSTISSIMA	CEL									X
MERISMOPEDIA MINIMA	COL							1	1.6	46
MERISMOPEDIA TENUISSIMA	COL				1	6.9	322			
MICROCYSTIS INCERTA	COL				1	5.2	242			
NOUGERTIA	FIL									X
NAVICULA	CEL									X
NITZSCHIA	CEL		0.6	183						
NITZSCHIA #1	CEL							1	1.6	46
NITZSCHIA #2	CEL			X						
NITZSCHIA #3	CEL				1	3.4	161			
OOCYSTIS	COL	1	0.2	61	1			1	4.9	137
PALMELLOID CELLS	CEL							1	1.6	46
PEDIASTRUM DUPLEX V. CLATHRATUM	COL				1					X
PERIDINIUM INCONSPICUUM	CEL				1	1.7	81			
PHACUS ACUMINATUS	CEL									X
PHACUS PLEALCPSIS	CEL			X						
SCENEDESMUS BICAUDATUS	COL				1	1.7	81			
SCENEDESMUS BIJUGA	COL				1	1.7	81	1	1.6	46
SCENEDESMUS QUADRICAUDA	COL			X	1	3.4	161	1	1.6	46
SCHROEDERIA SETIGERA	CEL				1	1.7	81			
STAUROPUR	CEL			X						
STEPHANODISCUS	CEL				1	3.4	161			
STEPHANODISCUS ASTRAEA	CEL							12	6.6	183
STEPHANODISCUS NIAGARAE	CEL	15	1.0	305						
SURIRELLA ANGUSTATA	CEL	1						1		X
SYNEDRA	CEL							1	1.6	46
SYNEDRA RUMPENS	CEL			X						X
TETRAEDRON TRIGONUM V. GRACILE	CEL		0.2	61						
TETRASTRUM HETERACANTHUM	COL						X			
TRACHELOMONAS	CEL			X						
TRACHELOMONAS ABRUPTA ?	CEL									X
TRACHELOMONAS ENSIFERA	CEL						X			
TRACHELOMONAS INTERMEDIA	CEL						X			
TRACHELOMONAS PLANCTONICA	CEL						X			
TRACHELOMONAS SPP.	CEL				13	5.2	242			
TOTAL				30405			4673			2789

Reproduced from best available copy.

LAKE NAME: JOHNSON
STORET NUMBER: 3105

NYGAARD TROPHIC STATE INDICES

DATE	04 16 74	07 01 74	09 30 74
MYXOPHYCEAN	1.50 E	03/0 E	3.00 E
CHLOROPHYCEAN	6.00 E	10/0 E	6.00 E
EUGLENOPHYTE	0.07 ?	0.08 ?	0.11 ?
DIATOM	0.30 ?	0.25 ?	1.00 E
COMPOUND	9.50 E	16/0 E	12.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 16 74	07 01 74	09 30 74
GENUS	17	06	11
SPECIES	09	04	04

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 16 74	07 01 74	09 30 74
AVERAGE DIVERSITY	H	1.28	2.98	3.06
NUMBER OF TAXA	S	40.00	30.00	34.00
NUMBER OF SAMPLES COMPOSITED	M	1.00	1.00	1.00
MAXIMUM DIVERSITY	MAXH	5.32	4.91	5.09
MINIMUM DIVERSITY	MINH	0.02	0.09	0.09
TOTAL DIVERSITY	D	36403.20	13457.68	15483.60
TOTAL NUMBER OF INDIVIDUALS/ML	N	28440.00	4516.00	5060.00
EVENESS COMPONENT	J	0.24	0.61	0.60
RELATIVE EVENESS	RJ	0.24	0.60	0.60
MEAN NUMBER OF INDIVIDUALS/TAXA	L	711.00	150.53	148.82
NUMBER/ML OF MOST ABUNDANT TAXON	K	23760.00	1607.00	2232.00

LAKE NAME: JOHNSON
STORET NUMBER: 3105

(CONTINUED)

TAXA	FORM	04 26 74 IS	04 26 74 %C	04 26 74 ALGAL UNITS PER ML	07 01 74 IS	07 01 74 %C	07 01 74 ALGAL UNITS PER ML	09 30 74 IS	09 30 74 %C	09 30 74 ALGAL UNITS PER ML
ACTINASTRUM	COL	1	0.11	38	1			1	0.61	30
ANABAENA	FIL	1			1			141	4.11	208
ANKISTRODESMUS FALCATUS	CEL	1	0.41	115	1			1		
APHANIZOMENON FLOS-AQUAE	FIL	1			151	5.81	261	121	9.41	476
ASTERIONELLA FORMOSA	CEL	121	3.21	921	1	1.01	43	1		X
CARTERIA	CEL	1	0.11	38	1			1		
CERATIUM HIRUNDINELLA		1			1			1		
F. SCUTIGERUM	CEL	1			1			1		
CHLAMYDOMONAS	CEL	1	1.91	537	1			1		
CLOSTERIUM	CEL	1		X	1			1	0.61	30
CHLASTRUM CAMBRICUM	COL	1	0.11	38	1			1		
CRUCIGENIA TETRAPEDIA	COL	1			1			1	0.61	30
CRYPTOMONAS EROSA	CEL	1	0.81	230	1			1	1.81	89
CRYPTOMONAS MARSSONII	CEL	1			1			1		
CRYPTOMONAS REFLEXA	CEL	151	0.71	192	1	1.91	87	1		
CYCLOTELLA	CEL	1			1			1	4.11	208
CYMBELLA TUMIDA	CEL	1			1			1		X
DACTYLOCOCCOPSIS IRREGULARIS	CEL	1	0.41	115	1	1.01	43	1	1.81	89
DIATOMA ELONGATUM	CEL	141	2.21	614	1			1		
DICTYOSPHAERIUM PULCHELLUM	COL	1			1			1	0.61	30
EUGLENA	CEL	1		X	1		X	1		
EUGLENA #1	CEL	1			1			1		X
FLAGELLATE #1	CEL	1	1.11	307	1			1	4.11	208
FRAGILARIA	CEL	1			131	16.41	739	1		
FRAGILARIA CROTONENSIS	CEL	1		X	111	35.61	1607	1		X
GOMPHONEMA	CEL	1		X	1			1		
GYMNODINIUM ALBULUM	CEL	1			1	1.01	43	1		
GYMNODINIUM ORDINATUM ?	CEL	1	0.51	154	1			1		
MELOSIRA GRANULATA	CEL	1	0.41	115	1	6.71	304	111	44.11	2232
MELOSIRA GRANULATA		1			1			1		
V. ANGUSTISSIMA	CEL	1			1			1		X
MELOSIRA VARIANS	CEL	1	0.31	77	1			1		
MESOSTIGMA	CEL	1			1			1	0.61	30
MICRACTINIUM PUSILLUM	COL	1		X	1			1		
MICROCYSTIS AERUGINOSA	COL	1			1	1.91	87	1		
MICROCYSTIS INCERTA	COL	1		X	1			1		
NAVICULA	CEL	1			1		X	1		
NAVICULA #2	CEL	1		X	1	1.91	43	1		
NAVICULA #3	CEL	1	0.31	77	1			1		
NITZSCHIA #1	CEL	1	0.11	38	1	1.01	43	1		
NITZSCHIA #2	CEL	1	0.11	38	1			1	0.61	30
OOCYSTIS	CEL	1			1	1.91	87	151	4.71	238
OSCILLATORIA	FIL	1		X	1			1	1.81	89
OSCILLATORIA LIMNETICA	FIL	1			1			1	5.31	268
PANDORINA MORUM	COL	1		X	1		X	1		
PEDIASTRUM BORYANUM	COL	1	0.11	38	1	1.01	43	1		X
PEDIASTRUM DUPLEX	COL	1			1		X	1		
PEDIASTRUM DUPLEX		1			1			1		
V. CLATHRATUM	COL	1			1		X	1		
PEDIASTRUM DUPLEX		1			1			1		
V. RETICULATUM	COL	1			1			1		X
PEDIASTRUM TETRAS		1			1			1		
V. TETRADON	COL	1			1		X	1		
PERIDINIUM	CEL	1	0.31	77	1		X	1		X
PERIDINIUM #1	CEL	1		X	1			1		
RAPHIDIOPSIS CURVATA	FIL	1			1			1	0.61	30
SCENEDESMUS ABUNDANS	COL	1	0.31	77	1			1		
SCENEDESMUS ACUMINATUS	COL	1	0.11	38	1			1		
SCENEDESMUS ARCUATUS	COL	1			1			1		X
SCENEDESMUS BIJUGA	COL	1			1	1.01	43	1		
SCENEDESMUS DIMORPHUS	COL	1		X	1		X	1	0.61	30
SCENEDESMUS INTERMEDIUS	COL	1		X	1			1	0.61	30
SCENEDESMUS QUADRICAUDA	COL	1	0.91	269	1	1.91	87	1	2.41	119
SCHROEDERIA SETIGERA	CEL	1			1		X	1		X
SPHAEROCYSTIS SCHROETERI	COL	1			1		X	1		X
STAURASTRUM CHAETOCERUS	CEL	1		X	1			1	0.61	30
STEPHANODISCUS	CEL	111	83.51	23760	121	16.41	739	131	10.61	536
SURIRELLA OVATA	CEL	131	1.81	499	1		X	1		
SYNEDRA	CEL	1		X	141	4.81	217	1		
TETRAEDRON MINIMUM	CEL	1		X	1			1		
TETRASTRUM STAUROGENIAEFORME	COL	1	0.11	38	1			1		
TRACHELOMONAS	CEL	1			1			1		X
TOTAL				28440			4516			5060

LAKE NAME: MCCONAUGHY
STORET NUMBER: 3106

NYGAARD TROPHIC STATE INDICES

DATE	04 15 74	07 01 74	09 27 74
MYXOPHYCEAN	01/0 E	03/0 E	2.00 E
CHLOROPHYCEAN	05/0 E	07/0 E	7.00 E
EUGLENOPHYTE	0/06 ?	0/10 ?	0.06 ?
DIATOM	0.33 E	0.33 E	0.36 E
COMPOUND	09/0 E	12/0 E	12.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 15 74	07 01 74	09 27 74
GENUS	05	01	10
SPECIES	02	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 15 74	07 01 74	09 27 74
AVERAGE DIVERSITY	H	2.23	3.17	3.37
NUMBER OF TAXA	S	23.00	21.00	46.00
NUMBER OF SAMPLES COMPOSITED	M	3.00	3.00	3.00
MAXIMUM DIVERSITY	MAXH	4.52	4.39	5.52
MINIMUM DIVERSITY	MINH	0.03	0.08	0.93
TOTAL DIVERSITY	D	27292.97	10495.87	16624.21
TOTAL NUMBER OF INDIVIDUALS/ML	N	12239.00	3311.00	4933.00
EVENESS COMPONENT	J	0.49	0.72	0.61
RELATIVE EVENESS	RJ	0.49	0.72	0.61
MEAN NUMBER OF INDIVIDUALS/TAXA	L	532.13	157.67	107.24
NUMBER/ML OF MOST ABUNDANT TAXON	K	5173.00	602.00	1023.00

LAKE NAME: MCCONAUGHY
STORET NUMBER: 3106

CONTINUED

TAXA	FORM	04 15 74			07 01 74			09 27 74		
		BS	%C	ALGAL UNITS PER ML	BS	%C	ALGAL UNITS PER ML	BS	%C	ALGAL UNITS PER ML
ACTINASTRUM	CEL		1.3	154						X
ANKISTRODESMUS FALCATUS V. MIRABILIS	CEL		0.3	39						X
APHANIZOMENON FLOS-AQUAE	FIL				12	7.8	258			
ASTERIONELLA FORMOSA	CEL	11	42.3	5173	15	14.3	473	1	1.0	47
CARTERIA	CEL		0.3	39				1		
COCCONEIS	CEL			X						X
COELASTRUM CAMBRICUM V. INTERMEDIUM	COL				1	1.3	43			
COSMARIUM	CEL									X
CRUCIGENIA TETRAPEDIA	COL									X
CRYPTOMONAS	CEL	13	6.0	734				11	20.7	1023
CRYPTOMONAS EROSA	CEL				13	13.0	430			
CRYPTOMONAS EROSA V. REFLEXA	CEL				13	13.0	430			
CYCLOTELLA MENEGHINIANA	CEL									X
CYMBELLA	CEL						X			X
DACTYLOCOCCOPSIS	CEL		3.2	386		2.6	86	14	13.2	651
DICTYOSPHAERIUM PULCHELLUM	COL							1	1.9	93
FLAGELLATE #1	CEL	12	39.6	4362	1	10.4	344	13	17.9	884
FRAGILARIA #1	CEL						X			
FRAGILARIA CAPUCINA	CEL			X						X
FRAGILARIA CROTONENSIS	CEL		0.9	116	14	18.2	602			X
FRAGILARIA LEPTOSTAURON	CEL			X						
GOMPHONEMA OLIVACEUM	CEL						X			
GYMNODINIUM ORDINATUM	CEL	15	1.9	232				1	1.0	47
KIRCHNERIELLA	CEL					1.3	43			
LEPOCINCLIS	CEL									X
LYNGBYA	FIL						X			
MELOSIRA #4	CEL							1	1.9	93
MELOSIRA GRANULATA	CEL					7.0	258	12	8.5	419
MELOSIRA ITALICA	CEL		1.9	232						
MELOSIRA VARIANS	CEL		0.6	77						X
MERISMOPEDIA MINIMA	COL							8	8.5	419
MESOSTIGMA VIRIDIS	CEL									X
MICRACTINIUM	CEL						X			
MICROCYSTIS AERUGINOSA	COL									X
NOUGEOTIA	FIL									X
NAVICULA	CEL						X			
NAVICULA #1	CEL									X
NAVICULA #2	CEL			X						
NAVICULA #3	CEL									X
NITZSCHIA	CEL									X
OOCYSTIS	CEL							3	3.8	186
OSCILLATORIA	FIL							3	3.8	186
PEDIASTRUM BORYANUM	COL									X
PENNATE DIATOMS	CEL		0.9	116				4	4.7	233
RHIZOSPHENIA	CEL			X						X
RHOPALODIA GIBBA	CEL									X
SCENEDESMUS ACUMINATUS	COL									X
SCENEDESMUS ARCUATUS	COL									X
SCENEDESMUS OBLIQUUS	COL									X
SCENEDESMUS OPOLIENSIS	COL			X						
SCENEDESMUS PROTUBERANS	COL						X			X
SCENEDESMUS QUADRICAUDA	COL			X			X			X
SCENEDESMUS SPP.	COL		0.6	77				15	7.5	372
SCHROEDERIA SETIGERA	CEL				1	10.4	344			
STAURASTRUM	CEL									X
STEPHANODISCUS	CEL	14	3.8	463			X			X
SURIRELLA #1	CEL									X
SURIRELLA #2	CEL									X
SYNEDRA ACUS	CEL		0.3	39						
SYNEDRA ULNA	CEL									X
TETRAEDRON CAUDATUM	CEL			X				1	1.0	47
TETRAEDRON MINIMUM	CEL									X
TETRASTRUM ? GLABRUM	COL							4	4.7	233
TETRASTRUM STAUROGENIAEFORME	COL						X			
TOTAL				12239			3311			4933

LAKE NAME: PAWNEE LAKE
STORET NUMBER: 3107

NYGAARD TROPHIC STATE INDICES

DATE	04 17 74	07 02 74	09 26 74
MYXOPHYCEAN	1.00 E	1.67 E	4.00 E
CHLOROPHYCEAN	0.01 D	3.00 E	9.00 E
EUGLENOPHYTE	1.00 E	0.14 ?	0.08 ?
DIATOM	0.80 E	3.00 E	5.00 E
COMPOUND	6.00 E	6.33 E	19.0 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 17 74	07 02 74	09 26 74
GENUS	01	02	02
SPECIES	00	00	00

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 17 74	07 02 74	09 26 74
AVERAGE DIVERSITY	H	2.13	3.52	2.71
NUMBER OF TAXA	S	21.00	33.00	27.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH	4.39	5.04	4.75
MINIMUM DIVERSITY	MINH	0.14	0.15	0.16
TOTAL DIVERSITY	D	3616.74	9817.28	5574.47
TOTAL NUMBER OF INDIVIDUALS/ML	N	1698.00	2789.00	2057.00
EVENESS COMPONENT	J	0.49	0.70	0.57
RELATIVE EVENESS	RJ	0.47	0.69	0.56
MEAN NUMBER OF INDIVIDUALS/TAXA	L	80.86	84.52	76.19
NUMBER/ML OF MOST ABUNDANT TAXON	K	849.00	634.00	765.00

LAKE NAME: PAWNEE LAKE (CONTINUED)
STORET NUMBER: 3107

TAXA	FORM	04 17 74			07 02 74			09 26 74		
		%	%	ALGAL UNITS PER ML	%	%	ALGAL UNITS PER ML	%	%	ALGAL UNITS PER ML
ANABAENA	FIL				12	10.00	290		0.00	10
APHANIZOMENON FLOS-AQUAE	FIL					3.00	85	13	10.00	382
ASTERIONELLA FORMOSA	CEL	14	12.50	212						X
CERATIUM HIRUNDINELLA F. FURCOIDES	CEL			X						
CHLAMYDOMONAS	CEL								0.00	10
CHLOROPHYTAN COCCOID CELLED COLONY	CEL			X						
CLOSTERIUM	CEL									X
CLOSTERIUM #1	CEL					1.50	42			
CLOSTERIUM #2	CEL						X			
CLOSTERIUM #3	CEL			X						
COCCOID COLONY	CEL						X			
COELASTRUM CAMBRICUM	COL					1.50	42		0.00	10
COELASTRUM RETICULATUM	COL						X			
COELOSPHAERIUM NAEGELIANUM	COL					1.50	42		2.30	48
COSMARIUM	CEL						X			
CRUCIGENIA RECTANGULARIS ?	COL						X			
CRYPTOMONAS EROSA	CEL				11	22.70	634	14	13.20	271
CRYPTOMONAS MARSSENII	CEL			X						
CRYPTOMONAS REFLEXA	CEL	12	10.30	310			X			
CYCLOTELLA MENEGHINIANA	CEL								1.00	32
CYCLOTELLA STELLIGERA	CEL									X
DACTYLOCOCCOPSIS IRREGULARIS	CEL		1.90	33						
DICTYOSPHAERIUM	COL								0.00	10
DICTYOSPHAERIUM PULCHELLUM	COL					3.00	85			
DINOBRYON DIVERGENS	CEL			X						
DINOBRYON W/O LORICA	CEL	11	50.00	849						
ELAKATOTHRIX	CEL									X
EUDORINA ELEGANS	CEL			X						X
EUGLENA	CEL						X			
FLAGELLATE #1	CEL		4.00	82		13.00	360			
FLAGELLATE #9	CEL					1.50	42			
FRAGILARIA	CEL			X						
GLENODINIUM GYMNODINIUM	CEL						X		1.00	32
GLENODINIUM GYMNODINIUM V. BISCUTELLIFORME	CEL						X			
GOMPHONEMA CAUDATA	CEL									
MELOSIRA	CEL	15	3.80	65						
MELOSIRA #1	CEL									X
MELOSIRA GRANULATA	CEL				13	10.00	290			X
MELOSIRA GRANULATA V. ANGUSTISSIMA	CEL			X		6.10	189			
MELOSIRA SPP.	CEL							12	37.20	765
MICROCYSTIS AERUGINOSA	COL					3.00	85	11	14.00	287
NAVICULA	CEL			X						
NAVICULA RADIOSA	CEL						X			
NITZSCHIA	CEL			X						
OOCYSTIS	CEL					1.50	42		3.10	64
OPHIOCYTIUM CAPITATUM	CEL					1.50	42			
OSCILLATORIA TENUIS	FIL						X			
PEDIASTRUM DUPLEX	COL									X
PEDIASTRUM DUPLEX V. CLATHRATUM	COL				15	1.50	42			X
PEDIASTRUM DUPLEX V. RETUNDATUM	COL						X			
PEDIASTRUM SIMPLEX V. DUODENARIUM	COL						X			X
PERIDINIUM	CEL									X
PHACUS	CEL									X
SCHROEDERIA SETIGERA	CEL					12.10	338		0.00	10
SPHAEROCYSTIS SCHROETERI	COL									X
STATOSPORE							X			
STEPHANODISCUS #1	CEL			X						
STEPHANODISCUS ASTRAEA	CEL			X	14	3.00	85	15	4.70	96
STEPHANODISCUS SPP.	CEL	13	8.70	147						
SYNEDRA	CEL			X						
TRACHELOMONAS	CEL					1.50	42			
TRACHELOMONAS VOLVOCINA	CEL			X						
TOTAL				1698			2789			2057

Reproduced from best available copy.

LAKE NAME: SHERMAN COUNTY RES.
STORET NUMBER: 3108

NYGAARD TROPHIC STATE INDICES

DATE	04 17 74	07 01 74	09 27 74
MYXOPHYCEAN	03/0 E	02/0 E	2.00 E
CHLOROPHYCEAN	02/0 E	02/0 E	1.00 E
EUGLENOPHYTE	0/05 ?	0/04 ?	0/06 ?
DIATOM	0.50 E	1.00 E	0.40 E
COMPOUND	07/0 E	06/0 E	5.00 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 17 74	07 01 74	09 27 74
GENUS	04	01	02
SPECIES	00	00	02

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 17 74	07 01 74	09 27 74
AVERAGE DIVERSITY	H	2.83	2.35	1.69
NUMBER OF TAXA	S	14.00	12.00	25.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH	3.81	3.58	4.64
MINUMUM DIVERSITY	MINH	0.10	0.09	0.10
TOTAL DIVERSITY	D	4525.17	3614.30	5213.65
TOTAL NUMBER OF INDIVIDUALS/ML	N	1599.00	1538.00	3065.00
EVENESS COMPONENT	J	0.74	0.66	0.36
RELATIVE EVENESS	RJ	0.74	0.65	0.36
MEAN NUMBER OF INDIVIDUALS/TAXA	L	114.21	128.17	123.40
NUMBER/ML OF MOST ABUNDANT TAXON	K	503.00	461.00	2198.00

LAKE NAME: SHERMAN COUNTY RES. CONTINUED
STORET NUMBER: 3108

TAXA	FORM	04 17 74 BS	04 17 74 %C	04 17 74 ALGAL UNITS PER ML	07 01 74 BS	07 01 74 %C	07 01 74 ALGAL UNITS PER ML	08 27 74 BS	08 27 74 %C	08 27 74 ALGAL UNITS PER ML
ANABAENA	FIL			X						
APHANIZOMENON FLOS-AQUAE	FIL							121	3.01	92
ASTERIONELLA FORMOSA	CEL	111	31.51	503						
CALONEIS LEWISII	CEL						X			
CERATIUM HIRUNDINELLA	CEL						X			
CLOSTERIUM	CEL									X
COCCONEIS	CEL									X
CRYPTOMONAS	CEL						X			X
CRYPTOMONAS EROSA	CEL	131	2.91	46	111	17.51	269			
CYANOPHYTAN FILAMENT	FIL							191	1.01	31
CYCLOTELLA MENEGHINIANA	CEL							191	4.01	122
CYMATOPLEURA ELLIPTICA										X
F. SPINALIS	CEL									
CYMBELLA	CEL		5.71	91					1.01	31
DACTYLOCOCCOPSIS	CEL			X						X
EUGLENA ELEGANS	CEL									153
FLAGELLATE #1	CEL	141	17.11	274	141	27.51	423		5.01	
FLAGELLATE #2	CEL	151	11.41	183						3
FRAGILARIA CONSTRUENS ?	CEL						X	141	7.91	244
FRAGILARIA CROTONENSIS	CEL		11.41	183						
FRAGILARIA INTERMEDIA ?										X
NANTZSCHIA AMPHIOXYS	CEL									
F. CAPITATA	CEL			X						X
NITZSCHIELLA	CEL									
MELOSIRA GRANULATA										
V. ANGUSTISSIMA	CEL			X			X	131	4.01	122
PERISPOREDIA MINIMA	COL				131	3....	461		2.01	61
MICROCYSTIS AERUGINOSA	COL									X
MICROCYSTIS INCERTA	COL					5....	77			
MICROCYSTIS INCERTA ?	COL		5.71	91						X
NAVICULA	CEL									
NAVICULA #1	CEL									X
NAVICULA LATENS ?	CEL									X
NITZSCHIA	CEL									X
NITZSCHIA FILIFORMIS	CEL		5.71	91						
PEDIASTRUM DUPLEX	COL									X
SCENEDESMUS BICAUDATUS	COL			X						
SCENEDESMUS BIJUGA	COL						X			
SCHROEDERIA SETIGERA	CEL				151	10.01	154		1.01	31
STAURASTRUM	CEL									X
STEPHANODISCUS ASTRAEA	CEL	121	8.61	137	121	10.01	154	111	71.21	2198
TOTAL				1599			1538			3085

Reproduced from best available copy.

LAKE NAME: SWANSON
STORET NUMBER: 3110

NYGAARD TROPHIC STATE INDICES

DATE	04 15 74	06 28 74	09 27 74
MYXOPHYCEAN	0/02 D	3.00 E	1.50 E
CHLOROPHYCEAN	1.00 E	4.00 E	4.50 E
EUGLENOPHYTE	0/02 ?	0.14 ?	0.42 E
DIATOM	0.12 ?	0.50 E	0.33 E
COMPOUND	1.50 E	9.00 E	9.50 E

PALMER'S ORGANIC POLLUTION INDICES

DATE	04 15 74	06 28 74	09 27 74
GENUS	01	00	11
SPECIES	02	00	03

SPECIES DIVERSITY AND ABUNDANCE INDICES

DATE		04 15 74	06 28 74	09 27 74
AVERAGE DIVERSITY	H	0.37	2.90	3.00
NUMBER OF TAXA	S	16.00	18.00	32.00
NUMBER OF SAMPLES COMPOSITED	M	2.00	2.00	2.00
MAXIMUM DIVERSITY	MAXH	4.00	4.17	5.00
MINIMUM DIVERSITY	MINH	0.01	0.11	0.14
TOTAL DIVERSITY	D	5968.47	5779.70	8256.00
TOTAL NUMBER OF INDIVIDUALS/ML	N	16131.00	1993.00	2752.00
EVENESS COMPONENT	J	0.09	0.70	0.60
RELATIVE EVENESS	RJ	0.10	0.69	0.59
MEAN NUMBER OF INDIVIDUALS/TAXA	L	1008.19	110.72	86.00
NUMBER/ML OF MOST ABUNDANT TAXON	K	15214.00	413.00	912.00

LAKE NAME: SWANSON
STORET NUMBER: 3110

CONTINUED

TAXA	FORM	04 15 74 BS	04 15 74 %C	04 15 74 ALGAL UNITS PER ML	06 20 74 BS	06 20 74 %C	06 20 74 ALGAL UNITS PER ML	09 27 74 BS	09 27 74 %C	09 27 74 ALGAL UNITS PER ML
ANABAENA	FIL				1	1.99	38			X
ANKISTRODESMUS FALCATUS V. ACICULARIS								1	3.79	103
APHANIZOMENON FLOS-AQUAE	CEL				1	1.99	38			
ASTERIONELLA FORMOSA	FIL									X
CERATIUM HIRUNDINELLA	CEL	11	94.31	15234	1	1.99	38			
CERATIUM HIRUNDINELLA F. FURCOIDES	CEL						X			
CHLAMYDOMONAS ?	CEL									X
CLOSTERIUM	CEL							1	4.41	120
CLOSTERIUM #1	CEL							13	5.61	155
COCCONEIS PLACENTULA	CEL			X						X
COELASTRUM CAMBRICUM	CEL									X
COSMARIUM	COL			X			X			
CRUCIGENIA APICULATA	CEL						X			
CRYPTOMONAS EROSA	CEL									X
CRYPTOMONAS OVATA	CEL							12	20.61	568
CRYPTOMONAS REFLEXA	CEL				12	17.31	330			
CYCLOTELLA MENEGHINIANA	CEL			X						
CYMBELLA	CEL	12	4.41	709						
DENTICULA	CEL			X						
DICTYOSPHAERIUM PULCHELLUM	CEL			X						
DINOBRYON DIVERGENS	COL									X
ELAKATOTHRIX	CEL						X			
EUDORINA ELEGANS	CEL						X			
EUGLENA	COL					1.99	38			
FLAGELLATE #1	CEL									X
FLAGELLATES	CEL	14	0.81	125			X			
FRAGILARIA CROTONENSIS	CEL				15	20.71	413			
GLENODINIUM GOULATUM	CEL				13	17.11	330			
LEPOCINCLIS	CEL	13	0.51	83						X
MELOSIRA GRANULATA	CEL					1.99	38			
V. ANGUSTISSIMA										X
MICROCYSTIS AERUGINOSA	CEL						X			
MICROCYSTIS INCERTA	COL							1	0.91	189
NAVICULA	COL									X
NAVICULA #1	CEL									X
NITZSCHIA #1	CEL			X				1	3.11	86
NITZSCHIA #2	CEL			X						
NITZSCHIA #3	CEL			X				1	2.51	69
OOCYSTIS	CEL					3.61	75	14	10.61	293
OSCILLATORIA	FIL									X
PEDIASTRUM DUPLEX V. RETICULATUM	COL									X
PERIDINIUM	CEL									X
PHACUS MEGALOPSIS	CEL									X
PINNULARIA	CEL			X						
SCENEDESMUS ACUMINATUS	COL			X				1	0.61	17
SCENEDESMUS BALATONICUS ?	COL							1	0.61	17
SCENEDESMUS DIMORPHUS	COL				14	18.91	376	1	0.61	17
SCHROEDERIA SETIGERA	CEL			X						X
STAURASTRUM CHAETOCERUS	CEL				11	13.21	263	11	53.11	912
STEPHANODISCUS NIAGARAE	CEL			X						
SURIRELLA OVATA	CEL									X
TRACHELOMONAS FLUVIATILIS	CEL							15	4.41	120
TRACHELOMONAS INTERMEDIA ?	CEL							1	3.11	86
TRACHELOMONAS VOLVOCINA	CEL									
TOTAL				16131			1493			2752

Reproduced from best available copy.